COMMERCIAL REFRIGERATION

ZÉRMAT

Manufacturer & Distributor of Professional Cooling Equipment



ENERGY EFFICIENT

DURABLE STAINLESS STEEL

ACCURATE TEMPERATURE CONTROL


AFTER SALES SUPPORT


DISPLAY CHILLER 1/ 2/ 3 DOOR




MODEL	ZM-1DDC-WB	ZM-2DDC-WB	ZM-3DDC-WB
Door	1	2	3
Temperature Range	2~8	2~8	2~8
Refrigerant	R290	R290	R290
Capacity / L	489L	1038L	1598L
Dimension (W x D x H)	700 x 710 x 2080mm	1253 x 750 x 2080mm	1880 x 750 x 2080mm

2D / Unit:mm








COUNTER CHILLER - BLOWER SYSTEM






MODEL	ZM-3DCC12-C (CHILLER)	ZM-3DCC15-C (CHILLER)	ZM-3DCC18-C (CHILLER)
Temperature Range	2~8	2~8	2~8
Cooling Type	Ventilated	Ventilated	Ventilated
Defrosting Mode	Automatic	Automatic	Automatic
Exterior Dimension (W x D x H)	1200 x 760 x 850 mm	1500 x 760 x 850 mm	1800 x 760 x 850 mm
Interior Dimension (W x D x H)	710 x 565 x 565 mm	710 x 565 x 565 mm	1310 x 565 x 565 mm
Capacity / L	219L	311L	403L
Power (W)	370W	370W	370W
Shelves No.	2	2	3
Int / Ext Finish	SUS304	SUS304	SUS304
Interior Light	LED	LED	LED
Castor	4 Feet	4 Feet	4 Feet
Refrigerant	R290	R290	R290
Voltage	220V /50	220V /50	220V /50

2D / Unit:mm






COUNTER FREEZER - BLOWER SYSTEM






MODEL	ZM-2DCF12-C (FREEZER)	ZM-2DCF15-C (FREEZER)	ZM-3DCF18-C (FREEZER)
Temperature Range	- 18 ~ 5	- 18 ~ 5	- 18 ~ 5
Cooling Type	Ventilated	Ventilated	Ventilated
Defrosting Mode	Automatic	Automatic	Automatic
Exterior Dimension (W x D x H)	1200 x 760 x 850 mm	1500 x 760 x 850 mm	1800 x 760 x 850 mm
Interior Dimension (W x D x H)	710 x 565 x 565 mm	710 x 565 x 565 mm	1310 x 565 x 565 mm
Capacity / L	219L	311L	403L
Power (W)	570W	570W	570W
Shelves No.	2	2	3
Int / Ext Finish	SUS304	SUS304	SUS304
Interior Light	LED	LED	LED
Castor	4 Feet	4 Feet	4 Feet
Refrigerant	R290	R290	R290
Voltage	220V /50	220V /50	220V /50

2D / Unit:mm






GLASS DOOR COUNTER CHILLER - BLOWER SYSTEM






MODEL	ZM-2DCF12-C (CHILLER)	ZM-2DCF15-C (CHILLER)	ZM-2DCF18-C (CHILLER)
Temperature Range	2 ~ 8	2 ~ 8	2 ~ 8
Cooling Type	Ventilated	Ventilated	Ventilated
Defrosting Mode	Automatic	Automatic	Automatic
Exterior Dimension (W x D x H)	1200 x 760 x 850 mm	1500 x 760 x 850 mm	1800 x 760 x 850 mm
Interior Dimension (W x D x H)	710 x 565 x 565 mm	710 x 565 x 565 mm	1310 x 565 x 565 mm
Capacity / L	219L	311L	403L
Power (W)	370W	370W	370W
Shelves No.	2	2	3
Int / Ext Finish	SUS304	SUS304	SUS304
Interior Light	LED	LED	LED
Castor	4 Feet	4 Feet	4 Feet
Refrigerant	R290	R290	R290
Voltage	220V /50	220V /50	220V /50

2D / Unit:mm





UPRIGHT CHILLER/ FREEZER - BLOWER SYSTEM







MODEL	ZM-2DUC-C (Chiller) ZM-2DUF-C (Freezer)	ZM-4DUC-C (Chiller) ZM-4DUF-C (Freezer)	ZM-6DUC-C (Chiller) ZM-6DUF-C (Freezer)
Temperature Range	2 ~ 8 / - 18 ~ 5	2 ~ 8 / - 18 ~ 5	2 ~ 8 / - 18 ~ 5
Cooling Type	Ventilated	Ventilated	Ventilated
Defrosting Mode	Automatic	Automatic	Automatic
Exterior Dimension (W x D x H)	610 x 760 x 1960 mm	1200 x 760 x 1960 mm	610 x 760 x 1960 mm
Interior Dimension (W x D x H)	508 x 608 x 1480 mm	1098 x 608 x 1480 mm	1698x 608 x 1480 mm
Capacity / L	438L	960L	1522L
Power (W)	410W / 630W	510W /780W	700W /1100W
Shelves No.	4	6	12
Int / Ext Finish	SUS304	SUS304	SUS304
Interior Light	LED	LED	LED
Castor	4 castors, 2 with brake	4 castors, 2 with brake	6 castors, 2 with brake
Refrigerant	R290	R290	R290
Voltage	220V /50	220V /50	220V /50

2D / Unit:mm


ZM-2DUC-C / ZM-2DUF-C



ZM-4DUC-C / ZM-4DUF-C



ZM-6DUC-C / ZM-6DUF-C





CHILLER & FREEZER COMBOS



MODEL	ZM-2F2CDUF-C
Temperature Range	-18 ~ 5 (Right) / 2 ~ 8 (Left)
Cooling Type	Ventilated
Defrosting Mode	Automatic
Exterior Dimension (W x D x H)	1200 x 760 x 1960 mm
Interior Dimension (W x D x H)	1098 x 608 x 1480 mm
Capacity / L	441L
Power (W)	720W
Shelves No.	6
Int / Ext Finish	SUS304
Interior Light	LED
Castor	4 castors, 2 with brake
Refrigerant	R290
Voltage	220V /50

2D / Unit:mm





CAKE SHOWCASE RECTANGULAR/ CURVE

- Super White Glass
- Heated Front & Side Glass
- Digital Controller
- Fan Cooling System
- White LED Light





TYPE	RECTANGULAR			CURVE		
Model	ZM-RCS09SS	ZM-RCS12SS	ZM-RCS15SS	ZM-CCS09SS	ZM-CCS12SS	ZM-CCS15SS
Tier	2	2	2	2	2	2
Dimension	900 x 685 x 1200mm					
Temp. Range	2 ~ 8					
Voltage	220V/50Hz					
Base	Stainless Steel					

CHOCOLATE SHOWCASE

- Super White Glass
- Heated Front, Top & 2-Sided Glass
- Secop/ Embraco Compressor
- White LED Light




MODEL	ZM-CS12SS-PRO	ZM-CS15SS-PRO
Tier	2	2
Dimension	1200 x 700 x 1100mm	1500 x 700 x 1100mm
Temp. Range	2 ~ 8	2 ~ 8
Voltage	220V/50Hz	220V/50Hz

CAKE SHOWCASE TABLE



Rectangular | ZM-RCS09-TT



Curve | ZM-CCS09-TT

- Super White Glass
- Heated Front & Side Glass
- Digital Controller
- Fan Cooling System
- White LED Light

MODEL	ZM-RCS09-TT	ZM-CCS09-TT
Type	Rectangular	Curve
Dimension	900 x 560 x 790mm	
Temp. Range	2 ~ 8	
Voltage	220V/50Hz	


BLAST FREEZER






MODEL	BKR-BF05-EVCO	BKR-BF10-EVCO
Temperature Range	-40 ~ +3	-40 ~ +3
Cooling Type	Ventilated	Ventilated
Defrosting Mode	Automatic	Automatic
Exterior Dimension (W x D x H)	800 x 800 x 1000 mm	800 x 840 x 1385 mm
Gross Volume	25 kg	45 kg
Power (W)	1500W	1800W
Shelves No.	5	10
Int / Ext Finish	SUS304	SUS304
Interior Light	LED	LED
Castor	4 castors, 2 with brake	4 castors, 2 with brake
Refrigerant	R290	R290
Voltage	220V /50	220V /50

2D / Unit:mm





ICE MAKER MACHINE



Produce: Ice Cube







Produce: Ice Cube



MODEL	ZM-IM120	ZM-IM420
Ice Produce/24Hrs (Kg)	55kg/24h	190kg/ 24h
Bin Capacity	18kg	140kg
Power	480W	800W
Ice Dimension (mm)	22 x 22 x 22	22 x 22 x 22
Refrigerant	R404A	R404A
Dimension (mm)	500 x 590 x 853	560 x 860 x 1745
Weight	50kg	95kg

2D / Unit:mm





ICE MAKER MACHINE





MODEL	ZM-IM500	ZM-IM1000
Ice Produce/ 24Hrs (Kg)	225Kg	455kg
Bin Capacity	200kg	200kg
Power	960W	2300W
Ice Dimension (mm)	22 x 22 x 22	22 x 22 x 22
Refrigerant	R404A	R404A
Dimension (mm)	760 x 860 x 1745	760 x 860 x 1920
Weight	120kg	140kg



Produce: Ice Cube

2D / Unit:mm





ZÉRMAT

COMMERCIAL REFRIGERATION



YOUR TRUSTED KITCHEN SUPPLY

FULLY KITCHEN EQUIPMENT SDN. BHD.

ADDRESS

Lot 1231,
Setor Jalan Kampung Baru,
Taman Aman,
08000 Sungai Petani,
Kedah Darul Aman.

PRODUCTS

Upright Refrigerators

Upright Freezers

Counter Refrigerators

Display Chillers

Ice Makers

Blast Chillers

SpareParts

FOLLOW US ON

@fully kitchen

CONTACT US

Catalogue/2026/9 ZÉRMAT

As produt improvement is an on going process, we reserve the right to change specifications or design without notice.

@ Zermat Refrigeration. All rights reserved